| Name:              | Index No.: /           |
|--------------------|------------------------|
| 2920/205           |                        |
| VISUAL PROGRAMMING | Candidate's Signature: |
| November 2015      |                        |
| Time: 3 hours      | Date:                  |
|                    |                        |



## THE KENYA NATIONAL EXAMINATIONS COUNCIL DIPLOMA IN INFORMATION COMMUNICATION TECHNOLOGY

## MODULE II

VISUAL PROGRAMMING

Edunotes.co.ke

## INSTRUCTIONS TO CANDIDATES:

Write your name and index number in the spaces provided above. Sign and write the date of examination in the spaces provided above. Answer any FIVE of the EIGHT questions in the spaces provided. All questions carry equal marks.

Candidates should answer questions in English

## For Examiner's Use Only

| Question             | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | TOTAL<br>SCORE |
|----------------------|---|---|---|---|---|---|---|---|----------------|
| Candidate's<br>Score |   |   |   |   |   |   |   |   |                |

This paper consists of 20 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

| (a)<br>  | (i)           | Outline two reasons for using Visual Basic programming language developing a Hospital Management System. | (2 marks)                 |
|----------|---------------|--|---------------------------|
|          |               |  |                           |
|          | (ii)          | Describe event driven process as used in Visual programming.   | (2 marks)                 |
| (b)      | Outli<br>Visu | ine the function of each of the following Multiple Document Interfact al Programming Language: menu bar  | ce (MDI) in a             |
| <u>.</u> |               |  |                           |
| _        | (ii)          | toolbox  | (1 mark)                  |
| _        | (iii)         | code form.   | (1 mark                   |
| (c)      | Wit           | h the aid of an example, distinguish between setting properties at de ing the properties at run time.    | sign time and<br>(5 marks |

ì.

| _   |  |
|-----|--|
| _   |  |
|     |  |
| (d) | Figure 1 shows a Visual Basic application used to compute multiplication and division of numbers.  Write a Visual Basic program that uses a function for each computation. The program should display the phrase 'illegal division operation' on a message box when the denominator is zero.  (8 marks |
|     | ► Form1  |
|     | FIRST Operation  NUMBER: Multiplication  SECOND Division  NUMBER:  |
|     | ANSWER Perform Operation Figure 1 C 1 1 1 O T C S C O C C  |
|     | Laurotes.co.ke   |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |

| (a) | With the aid of an example, explain the function of the underscore symbol in Visu<br>Basic programming (3 r                        |
|-----|--|
|     |  |
| _   | ·  |
| (b) | Convert the following statement into its equivalent in Visual Basic programming language. (3 n                                     |
|     | If any of $x$ and $y$ is at least 100 and their product is at most 1000, store their product $z$ . Otherwise store 1000 into $z$ . |
|     |  |
| _   |  |
| (c) | Interpret the following Visual Basic code. (6 n  |
|     | Private Sub Button1_Click()  |
|     | Dim x As Integer = 6<br>Dim y As Integer = 8   |
|     | Label1.caption = x & y   |
|     | temp = x   |
|     | x = y  |
|     | y = temp<br>Label2. caption = x & y  |
|     | End Sub  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |

| (d) | Write a Visual Basic program that assigns numeric values; 80, 60, 70, 30, 40 to an array. The program should then computes the average of the values and display the values and average on a list box. (8 marks |
|-----|---|
| _   |   |
|     |   |
|     |   |
|     | Edunotes.co.ke  |
|     |   |
|     |   |
|     |   |
|     |   |
|     |   |
| _   |   |
|     |   |
|     |   |
| _   |   |
| _   |   |
| _   |   |
|     |   |
|     |   |

| (ii) Outline two events and two methods associated with a picture box control.  (4 r  Edunotes.co.ke  (b) State two differences between sub procedures and event procedures as used in Vision (1) (2 r  (b) State two differences between sub procedures and event procedures as used in Vision (2) (3 r  (b) State two differences between sub procedures and event procedures as used in Vision (2) (3 r  (b) State two differences between sub procedures and event procedures as used in Vision (2) (3 r  (b) State two differences between sub procedures and event procedures as used in Vision (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 |     |  |
|--|-----|--|
| (ii) Outline two events and two methods associated with a picture box control.  (4 n  Edunotes.co.ke  (b) State two differences between sub procedures and event procedures as used in Vis   |     |  |
| Edunotes.co.ke  (4 n  (5) State two differences between sub procedures and event procedures as used in Vis   | (a) | (i) List four objects that may be accessed using project explore window of a V Basic program during the development an application. (2 n |
|  |     | (4 n   |
|  | (b) | State <b>two</b> differences between <i>sub procedures</i> and <i>event procedures</i> as used in Vis programming (4 n                   |

|   | and parallel array as used in programming. (5 mar  |
|---|--|
|   |  |
| _ |  |
|   |  |
|   |  |
|   |  |
| _ |  |
| _ |  |
|   |  |
|   |  |
|   | the use of input box function. The name entered is then assigned to a dynamic array.   |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |
|   | user prompted to select Ok or cancel from a message box when required to add more animals or terminate the program. Attach the code to a command button. (5 ma |

7

| (a) |                 | ne each of the following events of a command button as used in Visual amming.                            |           |
|-----|-----------------|--|-----------|
|     | (i)             | MouseHover   | (1 mark)  |
| _   |                 |  |           |
| -   | (ii)            | KeyPress   | (1 mark)  |
|     | (iii)           | MouseDown.   | (1 mark)  |
| (b) | Outli<br>that a | ne the steps to be followed when creating a report using a data environment database is already created. | (4 marks) |
|     |                 |  |           |
| (c) | (i)             | Describe the shell sort algorithm used in programming to sort elemer in programming.                     | (3 marks) |
| _   |                 |  |           |
| _   |                 |  |           |
| _   |                 |  |           |

| Ī |   |
|---|---|
|   |   |
|   | The formula $F = \frac{9}{5}C + 32$ is used to convert temperature value from Celsius to Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.   |
|   |   |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |
|   | Fahrenheit where F is temperature in Fahrenheit and C is temperature in Celsius.  Write a Visual Basic program that prompts a user to enter temperature in Celsius us an input function. The program should use a function to convert the temperature to it |

| _        |       |  |           |
|----------|-------|--|-----------|
| _        |       |  |           |
|          | _     |  |           |
|          |       |  |           |
| _        |       |  |           |
|          |       |  |           |
| _        |       |  |           |
| _        |       |  |           |
|          |       |  |           |
|          |       |  |           |
|          |       |  |           |
|          |       | Edunotes.co.k  | e         |
| 5 (a)    |       | Visual Basic program, the variables x and y stores<br>the output generated from each of the following<br>ated: |           |
|          | (i)   | (x+y)<>15 And y>3  | (2 marks) |
|          | (ii)  | (x+y)<>15 Or y>3   |           |
|          | (iii) | x>=10 Xor y<>0   |           |
|          | (iv)  | Not(x+y)<>15   |           |
| 2920/205 |       | 10   |           |

| (0) | Distr | nguish between <i>listbox</i> and FlexGrid controls as used in a Visual E | sasic program,<br>(4 marks) |
|-----|-------|---|-----------------------------|
|     |       |   |                             |
|     |       | •   |                             |
|     |       |   |                             |
| (c) | Desc  | ribe each of the following sections of a report design as used in a V     | isual Basic                 |
|     | (i)   | Detail  | (2 marks)                   |
|     |       |   |                             |
| _   |       | Page Footer Unotes.co.ke  |                             |
|     | (ii)  | Page Footer   | (2 marks)                   |
|     |       |   |                             |
|     |       |   |                             |
|     | (iii) | Report Footer.  | (2 marks)                   |
|     |       |   |                             |
|     |       |   |                             |
|     |       |   |                             |

(d) Table 1 shows the points and their corresponding grades that can be attained in an examination.

| POINTS                | GRADES        |  |
|-----------------------|---------------|--|
| Less than or equals 0 | Invalid value |  |
| 1,2                   | Distinction   |  |
| 3,4                   | Credit        |  |
| 5,6                   | Pass          |  |
| 7,8                   | Fail          |  |
| Greater than 8        | Invalid value |  |

| Use se | elect case c | ontrol structu | ire and attacl | the code to | a command butto | on. (8 n |
|--------|--------------|----------------|----------------|-------------|-----------------|----------|
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                | 1              | 1           |                 |          |
|        | 101          | 1110           | tes            | co.k        | <del>_</del>    |          |
|        |              |                |                | <u> </u>    |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 | -        |
|        |              |                |                |             |                 | **       |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |
|        |              |                |                |             |                 |          |

| (a) | (1)          | Outline the stage in programing when each of the following errordetected.                            | ors can be                |
|-----|--------------|--|---------------------------|
|     |              | I. syntax errors   | (1 mark)                  |
| _   |              | III. logical errors.   | (1 mark)                  |
|     | (ii)         | Explain the error in each of the following Visual Basic statements. $a/x = y/0$                      | nts.<br>(2 marks)         |
|     |              | <pre>II. for ( x = 0; x &lt; 10; x++ ) {     msgbox("Hello word") }</pre>                            | (2 marks)                 |
| (b) | With<br>from | the aid of an example, explain a way in which a public procedure a form in Visual Basic programming. | can be accessed (3 marks) |
| (c) | State (i)    | the Visual Basic control represented by each of the following nam<br>tmrTask                         | es:<br>(1 mark)           |
| ,   | (ii)         | shpTask  | (1 mark)                  |
|     | (iii)        | fraTask  | (1 mark)                  |
|     | (iv)         | drvTask.   | (1 mark)                  |

| total earning is taxed at a write a Visual Basic prog | gram that allows a user to enter the amount of sales t  |
|---|---|
| the use of a text box. The                            | program then computes the commission, the tax deserson will receive. The het pay for the month should |
|   | ch the code to a command button.  |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
| Edun  | otes.co.ke  |
| Edun  | totes.co.ke   |
| Edun  | iotes.co.ke   |
| Edun  | totes.co.ke   |
| Edun  | lotes.co.ke   |

| 7. | (a) | Explain the scope of a procedure defined by use of each of the following the keywords: |   |                     |  |  |  |
|----|-----|--|---|---------------------|--|--|--|
|    |     | (i)  | Public  | (2 marks)           |  |  |  |
|    |     | (ii)   | Private.  | (2 marks)           |  |  |  |
|    |     |  |   |                     |  |  |  |
|    | (b) | Figure answer  | LIPDATE N4 Acod: 1  | abase. Use it to    |  |  |  |
|    |     | (i)  | Write a Visual Basic program statement attached to a command.  I. ADD NEW to allow a user to add a new record | d button: (2 marks) |  |  |  |
|    | _   |  | II. UPDATE to allow a user to <i>update</i> the records   | (2 marks)           |  |  |  |
|    |     |  |   |                     |  |  |  |

|     | (ii)                    | Modify the program by adding a procedure such that when the command but ADD NEW is clicked, it becomes disable and the button UPDATE is enabled and vice versa (4 mag)  |
|-----|-------------------------|---|
|     |                         | •   |
| _   |                         |   |
| -   |                         |   |
|     | e animerar ania         |   |
| (c) | Write<br>use or<br>numb | me number is a positive integer which is divisible by 1 and itself. For example me number since it has non zero remainder when divided by 6 or 5 or 4 or 3 or a Visual Basic program that prompts a user to enter an integer value through an inputbox function. The program should test if the number entered is a printer or not. If not, the program displays an appropriate message. Use the fornot and mod operator. Attach the code to a command button.  (8 ms |
|     |                         | Edunotes.co.ke  |
| -   |                         |   |
| _   |                         |   |
| _   |                         |   |
|     |                         |   |
|     |                         |   |
|     |                         |   |
| _   |                         |   |
|     |                         |   |

|     | •   |
|-----|---|
| (a) | Describe an algorithm for searching a binary search tree. (4 mass   |
|     | Edunotes.co.ke  |
| (b) | Figure 3 shows a form which has an ADO control and command buttons used for navigating through records in a Visual Basic program. Use it to answer the questions that follow. |
|     | First Prev Next Last  |
|     | (i) Outline the error associated with the events attached to the button labelled 1. Prev (1 ma  |

|     | II. Next.   | (1 ma                    |
|-----|---|--------------------------|
| =   |   |                          |
| _   | (ii) Explain a way of preventing the errors in (i).   | (4 mar                   |
|     |   |                          |
|     |   |                          |
| _   | Edunotes.co.ke  |                          |
| (c) | Alex intends to link a Visual Basic program to a database using Activ Explain three record source commands that he may use. | eX Data Contro<br>(6 mar |
|     |   |                          |
| _   |   |                          |
|     |   |                          |
| -   |   |                          |

| (d) | (i)  | With the aid of an example, show how to delete an array in Visual Basic program. (2 marks) |
|-----|------|--|
| _   | (ii) | State a circumstance in which an array is deleted in a programming. (2 marks)              |
| ·   |      | Edunotes.co.ke   |
|     |      |  |
|     |      |  |
| _   |      |  |