| (i) | ne each of the following terms as used in computer operating systems. shell; | (2 marks) |
|--------------|--|--|
| | | |
| (ii) | system call. | (2 marks) |
| (iii) | buffer | (2 marks) |
| Expl | ain each of the following Inter Process Communication methods: | |
| (i) | semaphore; | (2marks) |
| (ii) | signal. | (2 marks) |
| ····· | | |
| (i) | With the aid of a diagram, describe the NTFS file system. | (4 marks) |
| - | | |
| | | |
| | | |
| | | |
| | | s. (2 marks) |
| | (iii) Expl (i) | Explain each of the following Inter Process Communication methods: (i) semaphore; (ii) signal. (i) With the aid of a diagram, describe the NTFS file system. |

| (d) | Expl | , a database administrator used each of the following file lock mechanisms is ain the result from each lock when enforced: | n her design. |
|-------------|-------------------------|--|---------------|
| | (i) | file lock; | (2 marks) |
| | (ii) | write lock. | (2 marks) |
| (a) | Distin | nguish between coherency and inclusion as used in memory management. | (4 marks) |
| (b) | With (i) | the aid of diagrams, describe each of the following memory allocation techn fixed partitioned allocation; | niques: |
| | | | |
| | | | · |
| | (ii) | paged allocation. | (4 marks) |
| | | | |
| (c) | June c each e (i) | came across the following file name extensions during a lesson. Identify the extension: .bmp | file type for |
| <u>,</u> | (ii) | .xlsx | (1 mark) |
| | (iii) | .rar | (1 mark) |

(iv) .exe (1 mark) (d) Jeremy prefers the online method when storing his company's files. Outline two reasons for his preference. (4marks) 3. (a) Outline four criteria that could be used when choosing a scheduling algorithm for an operating system. (4 marks) (b) Purity prefers the command line user interface over the GUI for her computer. Explain three reasons for this preference. (6 marks) Differentiate between reusable and consumable resources as used in inter-process (c) communication. (4 marks) Explain three reasons that could cause a process to be suspended. (d) (6 marks)

4

2920/105

| (a) | (i) | List four examples of utility programs used in computers. | (2 marks |
|-----|------------|---|--------------------------|
| | (ii) | Distinguish between spatial locality and sequential locality as used in n | remory |
| | | management. | (4 marks |
| (b) | Desc | ribe each of the following terms as used in file management: | |
| | (i) | alias file names; | (2 marks |
| | (ii) | pathnames. | (2 marks |
| (c) | Joss reach | used the RAID and disk caching to help improve the performance of the di of these techniques as used in file management. | sk. Describe (4 marks |
| | | | |
| (d) | With | the aid of a diagram, describe the structure of the I/O control system. | (6 marks |
| | | | |
| | | | |
| | | | |

| (a) | Define | e each of the following terms as used in memory management: | |
|-----|----------------|--|------------------------------|
| | (i) | thrashing; | (2 marks) |
| | (ii) | starvation. | (2 marks) |
| (b) | | the aid of a diagram, describe the <i>round robin</i> scheduling algorithm as usting system. | sed in computer (6 marks) |
| (c) | Descr (i) | ibe each of the following terms as used in process management: race condition; | (2 marks) |
| | (ii) | critical section. | (2 marks) |
| (d) | Durin elock | ng an operating system lesson the teacher addressed various functions of Explain three such functions that the teacher could have discussed. | the software (6 marks) |
| | | | |
| (a) | Defir | ne each of the following terms as used in operating systems: device independence; | (2 marks) |
| | (ii) | virtual device. | (2 marks |

6

| (b) | Exp appl | lain the circumstance under which each of the following disk system algorit icable: | hms could be |
|-----|-------------|--|--------------------|
| | (i) | first come first served; | (2 marks |
| | (ii) | shortest seek time first; | (2 marks) |
| | (iii) | SCAN. | (2 marks) |
| (c) | Disti | nguish between software interrupt and trap as used in operating systems. | (4 marks) |
| (d) | Expl: | ain the function of each of the following terms as used in memory managen relocating loader; | nent: (2 marks) |
| | (ii) | job control language; | (2 marks) |
| | (iii) | segmentation. | (2 marks) |
| (a) | Defin | ne each of the following terms as used in process management: | |
| | (i) | Dispatch latency; | (2 marks) |
| | (ii) | Reschedule latency. | (2 marks) |
| | | | |

7.

| (1) | systems examination. | operating |
|-------|--|---|
| | CD, DIR, FORMAT, BACKUP, RESTORE, CLS. | |
| | Categorize each of them as either external or internal commands. | (3 marks) |
| | | |
| (ii) | Differentiate between independent and cooperating process as used in management. | process (3 marks) |
| | | emory |
| (i) | least recently used; | (2 marks) |
| (ii) | not recently used. | (2 marks) |
| | | ites. Explain the |
| (i) | archive; | (2 marks) |
| (ii) | hidden; | (2 marks) |
| (iii) | system. | (2 marks) |
| Defin | ne each of the following terms as used in operating systems: | |
| (i) | address translation; | (2 marks) |
| | (ii) Differmana (i) Durir funct (ii) (iii) | systems examination. CD, DIR, FORMAT, BACKUP, RESTORE, CLS. Categorize each of them as either external or internal commands. (ii) Differentiate between independent and cooperating process as used in management. Differentiate between each of the following replacement policies as used in management: (i) least recently used; (ii) not recently used. During an operating systems class, Peter came across the following file attributantion of each of the attributes. (i) archive; (ii) hidden; (iii) system. |

2920/105 8

8.

| | (ii) address exception. | easytvet (2 marks |
|---------|--|---------------------------------------|
|)) | With the aid of a diagram, describe the <i>message passing</i> as used in interprocess communication. | (3 marks |
| | | |
| | | |
| ;) | During revision for an operating systems paper, ken came across the term me two functions of this facility. | etaphors. Outline (4 marks |
| | | · · · · · · · · · · · · · · · · · · · |
| | | |
| | | |
| <u></u> | Figure 1 shows a variable memory partition of the sizes in the order as indicated a | ated. |
| ť) | Figure I shows a variable memory partition of the sizes in the order as indicated as a six of the size of the order as indicated as a six of the size of the order as indicated as a six of the size of the order as indicated as a six of the order as a six o | ated. |
| d) | | ated. |
| d) | | sketch diagrams ne following |
| d) | Figure 1 Assume that a new process of size 42KB is to be loaded in the partition, use to show how the operating system would fit the new process using each of the state of t | sketch diagrams |
| d) | Figure 1 Assume that a new process of size 42KB is to be loaded in the partition, use to show how the operating system would fit the new process using each of the placement methods: | sketch diagrams ne following |
| d) | Figure 1 Assume that a new process of size 42KB is to be loaded in the partition, use to show how the operating system would fit the new process using each of the placement methods: (i) best fit method; | sketch diagrams ne following |
| d) | Figure 1 Assume that a new process of size 42KB is to be loaded in the partition, use to show how the operating system would fit the new process using each of the placement methods: | sketch diagrams ne following |
| d) | Figure 1 Assume that a new process of size 42KB is to be loaded in the partition, use to show how the operating system would fit the new process using each of the placement methods: (i) best fit method; | sketch diagrams ne following |